



Concealed floor standing unit

VRV indoor unit

FXNQ-P

Blends unobtrusively with any interior décor

The concealed floor units cover a wide range of capacities and can be installed discreetly in order to maintain the fluent lines of the room.

The Daikin VRV indoor unit range is one of the widest on the market, offering no less than 26 stylish and elegant models in 116 different variants – all designed to maximise comfort, minimise operating noise and simplify installation and servicing.

Designed to fit rooms of any size and shape, Daikin indoor units are also user friendly, ultra reliable, easy to control and quiet in operation.

All indoors units comply with the Ecodesign legislation by adopting DC fans in all indoor units, improving their energy efficiency.

Features and benefits:

- > Its low height enables the unit to fit perfectly beneath a window
- > Blends unobtrusively with any interior décor: only the suction and discharge grilles are visible
- > Requires very little installation space
- > The connecting port faces downward, eliminating the need to attach auxiliary piping



FXNQ20-25P



BRC1E52A/B



BRC4C65

FXNQ-P

Indoor unit				FXNQ20P	FXNQ25P	FXNQ32P	FXNQ40P	FXNQ50P	FXNQ63P	
Cooling capacity	Nom.		kW	2.2	2.8	3.6	4.5	5.6	7.1	
Heating capacity	Nom.		kW	2.5	3.2	4.0	5.0	6.3	8.0	
Power input	Cooling	Nom.	kW	0.049		0.090		0.110		
	Heating	Nom.	kW	0.049		0.090		0.110		
Dimensions	Unit	H x W x D	mm	610x930x220		610x1,070x220		610x1,350x220		
Weight	Unit		kg	19		23		27		
Fan-Air flow rate	Cooling	High/Low	m ³ /min	7/6		8/6	11/8.5	14/11	16/12	
	- 50Hz									
Sound power level	Cooling	Nom.	dBA							
Sound pressure level	Cooling	High/Low	dBA	35/32			38/33	39/34	40/35	
Refrigerant	Type	R-410A								
Piping connections	Liquid/OD/Gas/OD/Drain	mm	6.35/12.7/O.D. 21						9.52/15.9/O.D. 21	
Power supply	Phase/Frequency/Voltage	Hz/V	1~/50/60/220-240/220							
Current - 50Hz	Maximum fuse amps (MFA)	A	15							

See databook for option details.

The present leaflet is drawn up by way of information only and does not constitute an offer binding upon Daikin UK. Daikin UK has compiled the content of this leaflet to the best of its knowledge. No express or implied warranty is given for the completeness, accuracy, reliability or fitness for particular purpose of its content and the products and services presented therein. Specifications are subject to change without prior notice. Daikin UK explicitly rejects any liability for any direct or indirect damage, in the broadest sense, arising from or related to the use and/or interpretation of this leaflet. All content is copyrighted by Daikin UK.

